

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10 / 729,063

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

 PALM INTRANETDay : Thursday
Date: 4/6/2006
Time: 09:49:15

Inventor Information for 10/729063

Inventor Name	City	State/Country
HSU, HUL CHUN	TAIPEI	TAIWAN

Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity Data	Foreign Data	Inventors
------------	----------	---------------	-----------------	-----------------	--------------	-----------

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060062155 A1	20060323	METHOD FOR IP CHARACTERIZATION AND PATH FINDING, AND COMPUTER READABLE RECORDING MEDIUM FOR STORING PROGRAM THEREOF	370/250		Chen; Peter Hanping et al.
US 20060054588 A1	20060316	Method of Manufacturing Double-Sided Printed Circuit Board	216/13	216/37; 216/41; 29/846	Hsu; Hung-En et al.
US 20060050463 A1	20060309	Heat detector for main board	361/103		Hung; Chih-Jen et al.
US 20060048919 A1	20060309	Wick structure of heat pipe	165/104.26		Hsu; Hul-Chun
US 20060025876 A1	20060202	Digital audio frequency optimizer	700/94		Hsu Huang; Yueh-Hua
US 20060019424 A1	20060126	Image sensor fabrication method and structure	438/60	438/70	Weng; Fu-Tien et al.
US 20060009175 A1	20060112	Remote controller and ornamental device arrangement	455/128		Hsu; Hua Wen
US 20060005960 A1	20060112	END SURFACE CAPILLARY STRUCTURE OF HEAT PIPE	165/260		Hsu; Hul-Chun
US 20060001741 A1	20060105	Realtime video display method of mixed signals	348/143	348/207.1	Hsu; Huei Lan et al.
US 20050274494 A1	20051215	Method for forming end surface of heat pipe and structure thereof	165/104.21		Hsu, Hul-Chun
US 20050269064 A1	20051208	Planar heat pipe structure	165/104.26		Hsu, Hul-Chun
US 20050260531 A1	20051124	Valve having mechanism for diverting reverse gas flow	431/344		Hsu, Huang-Hsi
US 20050252650	20051117	Integrated heat dissipation apparatus	165/185		Hsu, Hul-Chun

A1					
US 20050248939 A1	20051110	Lens-arrayed backlight module and liquid crystal display device	362/225	362/224; 362/244	Li, Szu-Han et al.
US 20050247436 A1	20051110	Wick structure of heat pipe	165/104.26		Hsu, Hul-Chun
US 20050247435 A1	20051110	Wick structure of heat pipe	165/104.26		Hsu, Hul-Chun
US 20050242271 A1	20051103	Effective method to improve sub-micron color filter sensitivity	250/214.1	250/208.1	Weng, Fu-Tien et al.
US 20050231771 A1	20051020	Scanner and method thereof	358/497		Hsu, Ming-Fu et al.
US 20050231768 A1	20051020	Scanner and exposure control method thereof	358/474		Hsu, Hung-Yi et al.
US 20050228078 A1	20051013	Compositions and method for surface treatment of pigments	523/400		Kuo, Ping-Lin et al.
US 20050224681 A1	20051013	Sheet member holder	248/450	248/473	Hsu, Hua Wen
US 20050224216 A1	20051013	END SURFACE STRUCTURE OF HEAT PIPE FOR CONTACT WITH A HEAT SOURCE	165/104.26		Hsu, Hul-Chun
US 20050224215 A1	20051013	End surface structure of a heat pipe for contact with a heat source	165/104.26		Hsu, Hul-Chun
US 20050223294 A1	20051006	Device and method for automatically detecting and announcing error on booting a motherboard	714/36		Yang, Ching-Hsiang et al.
US 20050218808 A1	20051006	CCFL tube device	313/624	313/318.01	Hsu, Huan Hsiang
US 20050199375 A1	20050915	End surface structure of heat pipe	165/104.26		Hsu, Hul-Chun
US 20050199374 A1	20050915	End surface capillary structure of heat pipe	165/104.26		Hsu, Hul-Chun

US 20050195592 A1	20050908	Handsaw having sawing guide function	362/120	30/514; 30/517	Hsu, Hung - Chi et al.
US 20050195569 A1	20050908	Heat dissipation structure	361/697	361/694	Hsu, Hul-Chun
US 20050185808 A1	20050825	Composite structure with push-pull unit speakers	381/182	381/337; 381/338; 381/345	Hsu Huang, Yueh-Hua
US 20050181560 A1	20050818	STORAGE CAPACITOR HAVING A SCATTERING EFFECT AND METHOD OF MANUFACTURING THE SAME	438/253		Hsu, Hung-Huei
US 20050180436 A1	20050818	Network system integrated with SIP call server and SIP agent client	370/401	370/261	Hsu, Hung Hsiang
US 20050180435 A1	20050818	Routing protocol device integrated with SIP call server	370/401	370/261	Hsu, Hung Hsiang
US 20050179693 A1	20050818	Synchronized two-level graphics processing cache	345/557	345/552; 345/556	Fu, Chih-Hong et al.
US 20050179669 A1	20050818	[TOUCH PAD AND POSITION DETECTING CIRCUIT AND METHOD THEREOF]	345/173		Lo, Lih-Sheng et al.
US 20050178702 A1	20050818	Membrane zeta potential measuring system	210/85	210/90; 324/439; 340/606; 340/660; 73/38	Chuang, Ching-Jung et al.
US 20050172789 A1	20050811	Device for playing music on booting a motherboard	84/645		Hsu, Hung-Ta et al.
US 20050167984 A1	20050804	Shrinkage-free sealing structure of heat pipe	285/382		Hsu, Hul-Chun
US 20050146835 A1	20050707	STORAGE CAPACITOR HAVING A SCATTERING EFFECT AND	361/303		Hsu, Hung-Hsu

		METHOD OF MANUFACTURING THE SAME			
US 20050146502 A1	20050707	Computer mouse with liquid ornaments	345/163		Hsu, Hua Wen
US 20050145373 A1	20050707	Heat pipe structure	165/104.26		Hsu, Hul Chun
US 20050145368 A1	20050707	Heat pipe structure	165/104.11		Hsu, Hul Chun
US 20050140005 A1	20050630	Chip package structure	257/737	257/738; 257/E23.124; 257/E23.126; 438/613	Huang, Ya- Ling et al.
US 20050139994 A1	20050630	Semiconductor package	257/706	257/712; 257/778; 257/E23.101; 257/E23.107; 438/108; 438/125	Hsu, Hung- Ta et al.
US 20050139974 A1	20050630	Chip package structure	257/678		Huang, Ya- Ling et al.
US 20050139704 A1	20050630	Tissue homogenizer	241/169		Liao, Chun- Jen et al.
US 20050128128 A1	20050616	Real-time object motion detection system and related method	342/28	342/109; 342/114; 342/127; 342/52	Lo, Lih- Shang et al.
US 20050096919 A1	20050505	Data simplifying and merging method for a voice decoding memory system	704/503		Liu, Te- Chung et al.
US 20050073456 A1	20050407	Low-profile, multi-band antenna module	342/175		Sievenpiper, Daniel F. et al.
US 20050069829 A1	20050331	Electronic pilot ignition with safety switch	431/153	431/255; 431/345	Hsu, Huang-Hsi
US 20050051305 A1	20050310	Heat pipe	165/104.26		Hsu, Hul Chun
US	20050310	Circular tubular heat	165/104.21	29/890.032	Hsu, Hul

20050051301 A1		pipe having a sealed structure closing a distal opening thereof			Chun
US 20050045803 A1	20050303	Image sensor with improved uniformity of effective incident light	250/208.1		Hsu, Hung-Jen et al.
US 20050029672 A1	20050210	Flip chip package structure	257/778	257/E23.004; 257/E23.087; 257/E23.101	Hsu, Hung-Ta et al.
US 20050025462 A1	20050203	Method and apparatus for equipping personal digital product with functions of recording and displaying of the digital video/audio multi-media	386/96	386/111	Chang, Hao-Chieh et al.
US 20050022414 A1	20050203	Method and apparatus for removing vapor within heat pipe	34/92		Hsu, Hul-Chun
US 20050014101 A1	20050120	Ignition gun with safety switch	431/153	431/255; 431/344; 431/345	Hsu, Huang-Hsi
US 20050012254 A1	20050120	Annealing apparatus	266/257		Hsu, Hul-Chun
US 20050001281 A1	20050106	Process to improve image sensor sensitivity	257/438		Hsu, Hung-Jen et al.
US 20040265752 A1	20041230	METHOD FOR FABRICATING MICROLENS WITH LITHOGRAPHIC PROCESS	430/321	430/330	Hsu, Hung-Jen et al.
US 20040264178 A1	20041230	Screwdriver with light device	362/119		Hsu, Hung-Ming
US 20040258449 A1	20041223	Light module and keyboard utilizing same	400/472		Lin, Chih-Nan et al.
US 20040257844 A1	20041223	Power converter module with a voltage regulating circuit	363/125		Chen, Chien-Jung et al.
US 20040249868 A1	20041209	Method and system for estimating exportation time	707/204		Tsai, Shi-Hui et al.
US	20041209	Image sensor fabrication	438/462		Kuo, Chin

20040248384 A1		method and structure			Chen et al.
US 20040248383 A1	20041209	Method to reduce excess color filter signal deviation	438/462		Weng, Fu-Tien et al.
US 20040247645 A1	20041209	Methods for preparing and using implantable substance delivery devices	424/426		Wong, Corinne Gail et al.
US 20040228128 A1	20041118	Reflector structure in a liquid crystal display and its fabrication method'	362/248		Lin, Wen-Jian et al.
US 20040216617 A1	20041104	ROTISSERIE WITH LIGHTING FIXTURE	99/341		Hsu, Huang-Hsi
US 20040201533 A1	20041014	Crossed-slot antenna for mobile satellite and terrestrial radio reception	343/770		Sievenpiper, Daniel F. et al.
US 20040196268 A1	20041007	Input module and operating method thereof	345/173		Hsu, Huang-Chang et al.
US 20040194311 A1	20041007	Method and apparatus for removing non-condensing gas within heat pipe	29/890.032		Hsu, Hul Chun
US 20040166021 A1	20040826	Multiplex test kit	422/61		Hsu, Hubert
US 20040147198 A1	20040729	Optical-interference type display panel and method for making the same	445/24		Lin, Wen-Jian et al.
US 20040147105 A1	20040729	Method for fabricating microelectronic product with attenuated bond pad corrosion	438/612	438/597	Chang, Chih-Kung et al.
US 20040126512 A1	20040701	Structural improvement for sound case	428/34	428/137	Hsu Huang, Yueh-Hua
US 20040112450 A1	20040617	Heat pipe having fiber wick structure	138/38	138/125	Hsu, Hul Chun
US 20040111887 A1	20040617	Method for filling heat pipe wick structure and the like	29/890.032		Hsu, Hul Chun
US	20040513	Reflector plates for a	349/113		Tang, Wen-

20040090575 A1		reflective liquid crystal display and methods for fabricating the same			Chung et al.
US 20040066992 A1	20040408	Composite fluid dynamic bearing and its manufacturing method	384/114		Shih, Wun-Chang et al.
US 20040060905 A1	20040401	Etching method for making fluid bearings	216/83		Chang, Kuang-Hsien et al.
US 20040050705 A1	20040318	Microfluidic device with network micro channels	204/600		Tseng, Fan-Gang et al.
US 20040023470 A1	20040205	Novel material to improve image sensor yield during wafer sawing	438/460	438/113; 438/464	Hsu, Hung-Jen et al.
US 20040012743 A1	20040122	Reflector structure of a multi-domain liquid crystal display and its fabrication method	349/129		Liu, Hong-Da et al.
US 20040004450 A1	20040108	Multiple-lamp backlight inverter	315/291	315/224; 315/276	Hsu, Huang-Chang et al.
US 20030223486 A1	20031204	Method for detecting data transmission rate of USB controller by using USB device	375/224		Hsu, Hung-Chou
US 20030213612 A1	20031120	Guard ring having electrically isolated lightening bars	174/250	174/256; 29/846; 438/125	Wu, Tien-Chi et al.
US 20030165718 A1	20030904	Method for forming a bonding pad in a TFT array process for a reflective LCD and bonding pad formed by the method	428/701	257/E21.703; 257/E27.111; 427/404; 427/58; 428/195.1; 428/469	Hsu, Hung-Heui et al.
US 20030163362 A1	20030828	Auto-generation of supplier forecast method	705/10		Lee, Jen Fu et al.
US 20030123005 A1	20030703	Reflector structure of a multi-domain liquid crystal display and its fabrication method	349/129		Liu, Hong-Da et al.
US 20030117328 A1	20030626	Low-profile, multi-antenna module, and method of integration	343/713		Sievenpiper, Daniel F. et al.

		into a vehicle			
US 20030117031 A1	20030626	Magnetic bearing	310/90.5		Wang, Chien- Chang et al.
US 20030093902 A1	20030522	Device and method for manufacturing fluid bearings	29/898.02	29/724	Hsu, Hung- Kuang et al.
US 20030093801 A1	20030515	Methods and systems for video streaming with VCR functionality	725/90	348/410.1; 375/240.01; 375/240.04; 725/102; 725/88	Lin, Chia- Wen et al.
US 20030089949 A1	20030515	Thin film transistor crystal liquid display devices with convex structure and manufacturing method thereof	257/347	257/350; 257/E21.414; 257/E21.703; 257/E29.137; 438/151; 438/155	Lin, Wen- Jian et al.
US 20030088450 A1	20030508	Material requirements planning method for the calculation of supplier provision of materials	705/8		Chiu, Hung- Liang et al.
US 20030082939 A1	20030501	Electrical card connector having polarization mechanism	439/131		Hsu, Hugh Chi
US 20030052834 A1	20030320	ANTENNA SYSTEM FOR COMMUNICATING SIMULTANEOUSLY WITH A SATELLITE AND A TERRESTRIAL SYSTEM	343/909	343/753	Sievenpiper, Daniel F. et al.
US 20030046175 A1	20030306	Real-time electronic business transaction system and method for reporting STFC/FCT data to customer	705/26		Chiu, Hung- Liang et al.
US 20030039415 A1	20030227	Hydrodynamic and hydrostatic hybrid bearing and its manufacturing method	384/100		Huang, Ching- Hsing et al.
US 20030017732 A1	20030123	ELECTRICAL CARD CONNECTOR HAVING POLARIZATION MECHANISM	439/157		Hsu, Hugh Chi

US 20030002934 A1	20030102	Power hand drill outer shell arrangement	408/16	408/124; 408/241R	Hsu, Hung- Ming
US 20020197875 A1	20021226	Method for controlling profile formation of low taper angle in metal thin film electorde	438/701		Lin, Wen- Jian et al.
US 20020182923 A1	20021205	Portable input device with locking function	439/357		Li, Chin- Chen et al.
US 20020148460 A1	20021017	Ignition device for stove	126/39E	126/39R; 431/264	Hsu, Huang-Hsi
US 20020102112 A1	20020801	TONER CONTAINER AND SCRAPER ARRANGEMENT	399/262	399/263	Hsu, Hung- Hsu
US 20020091952 A1	20020711	Apparatus and method for detection for use in a touch-sensitive pad	713/300		Lin, Hwan- Rong et al.
US 20020072022 A1	20020613	Safety gas burner	431/153	431/255; 431/266; 431/344; 431/345	Hsu, Huang-Hsi
US 20020022262 A1	20020221	Plant tissue culture vessel	435/304.1	220/677	Wang, Wen-Yi et al.
US 20020020517 A1	20020221	Geometrical streamline flow guiding and heat dissipating structure	165/80.3	165/104.33; 257/715; 257/E23.086; 257/E23.099; 361/700	Hsu, Hul Chun
US 20020014882 A1	20020207	Linear regulator capable of sinking current	323/274		Hsu, Hui-Te
US 7018585 B2	20060328	Annealing apparatus	266/255	432/152	Hsu; Hul- Chun
US D517561 S	20060321	Face plate for computer housing	D14/441		Hsu; Huang-Yao
US 7013957 B2	20060321	End surface structure of heat pipe	165/104.26	165/104.21; 165/104.33; 174/15.2; 257/715; 361/700	Hsu; Hul- Chun
US 7011515 B1	20060314	Gas lighter having device for preventing flame from being	431/126	431/268; 431/344; 431/345;	Hsu; Huang-Hsi

		extinguished by wind		431/347	
US D516566 S	20060307	Face plate for computer housing	D14/441		Hsu; Huang-Yao
US D515948 S	20060228	Timer with liquid ornament	D10/40	D10/2; D10/30	Hsu; Hua Wen
US 7005749 B2	20060228	Flip chip package structure	257/778	438/108	Hsu; Hung- Ta et al.
US D515389 S	20060221	Screwdriver handle	D8/83		Hsu; Huang- Tung
US 6999141 B2	20060214	Method for fabricating a reflective type reflector plate of a reflective liquid crystal display	349/113	349/138; 349/187	Tang; Wen- Chung et al.
US 6997243 B2	20060214	Wick structure of heat pipe	165/104.26	165/104.33; 174/15.2; 257/714; 361/700; 361/704	Hsu; Hul- Chun
US 6992904 B2	20060131	Power converter module with a voltage regulating circuit	363/45	363/126	Chen; Chien-Jung et al.
US 6989785 B2	20060124	Low-profile, multi-band antenna module	342/175	343/715; 343/722; 455/553.1	Sievenpiper; Daniel F. et al.
US 6988699 B2	20060124	Sheet member holder	248/450	248/441.1; 40/124.07; 40/649; 40/658; 446/267	Hsu; Hua Wen
US 6986383 B2	20060117	End surface structure of a heat pipe for contact with a heat source	165/104.26	165/104.33; 257/715; 361/697; 361/700	Hsu; Hul- Chun
US 6983791 B2	20060110	Heat pipe having fiber wick structure	165/104.26	165/104.33; 361/700; 361/704	Hsu; Hul Chun
US D511744 S	20051122	Battery holder for power tool	D13/108	D13/103	Hsu; Hung- Ming et al.
US 6964916 B2	20051115	Image sensor fabrication method and structure	438/462	257/59; 257/72; 257/98; 257/E29.282; 349/110; 349/111; 349/42;	Kuo; Chin Chen et al.

				349/44	
US 6964531 B2	20051115	Light module and keyboard utilizing same	400/472	362/249; 400/487	Lin; Chih-Nan et al.
US D510841 S	20051025	Igniter	D7/416		Hsu; Huang-Hsi
US 6956253 B2	20051018	Color filter with resist material in scribe lines	257/232	257/233; 257/234; 438/70	Weng; Fu-Tien et al.
US 6954868 B2	20051011	Apparatus and method for detection for use in a touch-sensitive pad	713/324	345/173; 713/300; 713/320; 713/323	Lin; Hwan-Rong et al.
US D510346 S	20051004	Front panel for disk player	D14/257		Hsu; Huang-Yao et al.
US D509207 S	20050906	Dictating machine	D14/154		Hsu; Hua Wen
US 6940709 B2	20050906	Storage capacitor having a scattering effect and method of manufacturing the same	361/305	257/295; 257/296; 361/303; 361/306.1; 361/306.3; 361/311; 361/313; 438/253; 438/395; 438/396	Hsu; Hung-Huei
US 6939129 B2	20050906	Ignition gun with safety switch	431/153	431/255	Hsu; Huang-Hsi
US 6927345 B2	20050809	Guard ring having electrically isolated lightening bars	174/255	174/261; 430/5	Wu; Tien-Chi et al.
US 6922023 B2	20050726	Multiple-lamp backlight inverter	315/291	315/276; 315/294; 315/307	Hsu; Huang-Chang et al.
US 6911952 B2	20050628	Crossed-slot antenna for mobile satellite and terrestrial radio reception	343/770	343/767	Sievenpiper; Daniel F. et al.
US 6905617 B2	20050614	Etching method for making fluid bearings	216/8	216/41; 216/83; 264/219; 264/269; 29/898.02	Chang; Kuang-Hsien et al.
US 6905221 B2	20050614	Screwdriver with light device	362/119	362/120; 362/205; 362/206;	Hsu; Hung-Ming

				362/394; 362/395	
US 6901416 B2	20050531	Method and system for estimating exportation time	707/203	705/23; 707/10	Tsai; Shi- Hui et al.
US 6900385 B1	20050531	Fastening belt for quickly wrapping electric cables	174/36		Hsu; Huei- Yi
US D504436 S	20050426	Face plate for computer housing	D14/441		Chen; Fang- Hsuan et al.
US D504435 S	20050426	Face plate for computer housing	D14/441		Hsu; Huang-Yao
US 6880976 B2	20050419	Hydrodynamic and hydrostatic hybrid bearing and its manufacturing method	384/100	384/114; 384/120	Huang; Ching- Hsing et al.
US 6878642 B1	20050412	Method to improve passivation openings by reflow of photoresist to eliminate tape residue	438/759	257/E21.252; 438/760	Hsu; Hung- Jen et al.
US D502510 S	20050301	Paper holder	D19/90	D19/96; D6/310	Hsu; Hua Wen
US 6861207 B2	20050301	Method for fabricating microlens with lithographic process	430/321	438/70	Hsu; Hung- Jen et al.
US D502112 S	20050222	Liquid container with clock	D10/15	D10/2; D10/24; D10/33; D10/34; D10/6; D10/7	Hsu; Hua- Wen
US D501870 S	20050215	Liquid container with calculator	D18/7		Hsu; Hua- Wen
US D501869 S	20050215	Liquid container with calculator	D18/7		Hsu; Hua- Wen
US D501841 S	20050215	Liquid container with radio	D14/171	D14/168	Hsu; Hua- Wen
US 6853339 B2	20050208	Low-profile, multi- antenna module, and method of integration into a vehicle	343/713	343/712	Sievenpiper; Daniel F. et al.
US 6849533 B2	20050201	Method for fabricating microelectronic product with attenuated bond pad corrosion	438/612	438/29; 438/618; 438/622; 438/624	Chang; Chih-Kung et al.
US 6837704	20050104	Electronic pilot ignition	431/153	431/255	Hsu;

B1		with safety switch			Huang-Hsi
US D500252 S	20041228	LCD clock	D10/18	D10/15	Hsu; Hua-Wen
US 6825848 B1	20041130	Synchronized two-level graphics processing cache	345/557		Fu; Chih-Hong et al.
US 6810793 B1	20041102	Rotisserie with lighting fixture	99/341	99/419; 99/421H	Hsu; Huang-Hsi
US D497556 S	20041026	Digital alarm clock	D10/15		Hsu; Hua Wen
US D497315 S	20041019	Digital alarm clock	D10/15		Hsu; Hua Wen
US 6797905 B1	20040928	Rocker switch	200/339	200/405; 200/553; 200/559; 200/6R	Wang; Yung-Hui et al.
US D495610 S	20040907	Digital alarm clock	D10/15		Hsu; Hua-Wen
US 6788363 B2	20040907	Reflector structure of a multi-domain liquid crystal display and its fabrication method	349/113		Liu; Hong-Da et al.
US D494613 S	20040817	Calculator	D18/7		Hsu; Hua Wen
US D494178 S	20040810	Liquid container for mouse	D14/402		Hsu; Hua Wen
US 6769808 B2	20040803	Composite fluid dynamic bearing and its manufacturing method	384/114	29/898.02; 384/100	Shih; Wun-Chang et al.
US D493196 S	20040720	Calendar with frames	D19/25	D19/20; D19/21	Hsu; Hua Wen
US 6759276 B1	20040706	Material to improve CMOS image sensor yield during wafer sawing	438/114	438/460; 438/464	Hsu; Hung-Jen et al.
US D491766 S	20040622	Igniter	D7/416		Hsu; Huang-Hsi
US D491479 S	20040615	Pedometer	D10/70	D10/97; D10/98	Hsu; Hua Wen
US D491076 S	20040608	Digital alarm clock	D10/15		Hsu; Hua Wen
US 6738980 B2	20040518	Methods and systems for video streaming with VCR functionality	725/88	725/102; 725/103; 725/89; 725/90; 725/91;	Lin; Chia-Wen et al.

				725/92; 725/93	
US D488671 S	20040420	Igniter	D7/416		Hsu; Huang-Hsi
US D488393 S	20040413	Timer	D10/40		Hsu; Hua Wen
US 6715338 B1	20040406	Apparatus and method for detecting flammable gas in a gas mixture	73/23.2	422/94; 422/95; 73/23.31; 73/31.03	Hsu; Hua Ching
US 6709965 B1	20040323	Aluminum-copper bond pad design and method of fabrication	438/612	438/640; 438/739; 438/792	Chen; Kuo- Chou et al.
US 6703736 B2	20040309	Magnetic bearing	310/90.5	310/67R	Wang; Chien- Chang et al.
US 6692759 B1	20040217	Methods for preparing and using implantable substance delivery devices	424/423	424/424; 424/426; 424/427; 424/428; 424/433; 428/402	Wong; Corinne Gail et al.
US 6688406 B1	20040210	Power tool having a function control mechanism for controlling operation in one of rotary drive and hammering modes	173/48	173/109	Wu; Chien- Chun et al.
US 6677228 B1	20040113	Reinforced aluminum copper bonding pad	438/612	257/784; 257/E23.02	Su; Yea- Zan et al.
US D484767 S	20040106	Screwdriver	D8/82		Hsu; Huang- Tung
US D483796 S	20031216	Calculator with frames	D18/7		Hsu; Hua Wen
US 6663403 B2	20031216	Electrical card connector having polarization mechanism	439/159	439/157	Hsu; Hugh Chi
US D483012 S	20031202	Battery pack	D13/103		Hsu; Hung- Ming
US D479958 S	20030930	Fork with thermometer	D7/683	D10/57	Hsu; Huang-Hsi
US D477625 S	20030722	Desk calculator	D18/7		Hsu; Hua Wen
US D477351 S	20030715	Calculator	D18/7		Hsu; Hua Wen

US D476239 S	20030624	Time clock	D10/18	D10/15	Hsu; Hua Wen
US D475933 S	20030617	Time clock	D10/18	D10/15	Hsu; Hua Wen
US D475736 S	20030610	Calculator	D18/7		Hsu; Hua Wen
US 6560213 B1	20030506	Wideband wireless access local loop based on millimeter wave technology	370/338	370/278; 455/426.2	Izadpanah; Hossein et al.
US 6550469 B2	20030422	Ignition device for stove	126/39E	361/253; 431/154; 431/264	Hsu; Huang-Hsi
US 6545647 B1	20030408	Antenna system for communicating simultaneously with a satellite and a terrestrial system	343/795	343/756; 343/909	Sievenpiper; Daniel F. et al.
US 6520783 B2	20030218	Electrical card connector having polarization mechanism	439/157	439/159	Hsu; Hugh Chi
US 6520768 B1	20030218	Lighter structure	431/153	431/255; 431/344	Hsu; Huang-Hsi
US D468531 S	20030114	Screw-driver kit	D3/282	D3/294; D3/905	Hsu; Huang Tung
US D468219 S	20030107	Timer clock	D10/40	D10/15	Hsu; Hua Wen
US D468216 S	20030107	Clock	D10/15		Hsu; Hua Wen
US D468215 S	20030107	Clock	D10/15	D10/1	Hsu; Hua Wen
US D467822 S	20021231	Timer clock	D10/40	D10/15	Hsu; Hua Wen
US D467817 S	20021231	Clock	D10/15	D10/1	Hsu; Hua Wen
US D467509 S	20021224	Electronic clock	D10/18	D10/15	Hsu; Hua Wen
US 6497316 B1	20021224	Powered, unidirectional output controlling apparatus	192/223.2	173/178; 173/216; 192/38; 192/44; 81/57.11	Hsu; Hung- Ming
US 6484004 B1	20021119	Method and apparatus for stabilizing the charge-to-mass ratio of various toner	399/223	399/296; 430/120; 430/42	Schein; Larry B. et al.

		components in a multi-toner tone-on-tone electrophotographic device			
US 6483814 B1	20021119	Channel-adaptive radio modem	370/277	455/557	Hsu; Hui-Pin et al.
US 6478630 B1	20021112	Electrical card connector having polarization mechanism	439/680	439/607	Hsu; Hugh Chi
US 6447287 B1	20020910	Safety gas lighter	431/153	126/401; 126/405; 431/255; 431/256; 431/344	Hsu; Huang-Hsi
US D462377 S	20020903	Calculator	D18/7		Hsu; Hua Wen
US D462084 S	20020827	Electronic calculator	D18/7		Hsu; Hua Wen
US D462083 S	20020827	Electronic calculator	D18/7		Hsu; Hua Wen
US D462082 S	20020827	Electronic calculator	D18/7		Hsu; Hua Wen
US 6441792 B1	20020827	Low-profile, multi-antenna module, and method of integration into a vehicle	343/713	343/909	Sievenpiper; Daniel F. et al.
US 6439879 B1	20020827	Safety gas burner	431/153	431/255	Hsu; Huang-Hsi
US D461839 S	20020820	Electronic calculator	D18/7		Hsu; Hua Wen
US 6437575 B1	20020820	Low-voltage detecting circuit	324/433	324/428; 324/678; 324/711; 340/636.15; 340/663	Lin; Hwan-Rong et al.
US 6433756 B1	20020813	Method of providing increased low-angle radiation sensitivity in an antenna and an antenna having increased low-angle radiation sensitivity	343/909	343/700MS; 343/756	Sievenpiper; Daniel F. et al.
US 6431893 B1	20020813	Switch for an electrical card connector	439/188	439/489	Chang; Jen Jou et al.
US 6428849 B1	20020806	Method for the co-deposition of silicon and	427/255.17	148/217; 148/230;	Tsai; Wen-Ta et al.

		nitrogen on stainless steel surface		148/279; 427/255.27; 427/299; 427/309; 427/327	
US 6426722 B1	20020730	Polarization converting radio frequency reflecting surface	343/700MS	343/909; 343/910	Sievenpiper; Daniel et al.
US 6425775 B1	20020730	Smart card connector	439/188	439/630	Chang; Jen Jou et al.
US 6424812 B1	20020723	Toner container and scraper arrangement	399/262	399/263	Hsu; Hung- Hsu
US 6417807 B1	20020709	Optically controlled RF MEMS switch array for reconfigurable broadband reflective antennas	343/700MS	333/262; 343/781CA; 343/795; 343/876	Hsu; Hui- Pin et al.
US 6394843 B1	20020528	Card connector with improved shell structure	439/607	439/159	Chang; Jen Jou et al.
US 6385825 B1	20020514	Feeding device for preneedle punching of nonwoven fabrics	28/107		Wang; Shoci- Chyuan et al.
US 6382306 B1	20020507	Geometrical streamline flow guiding and heat-dissipating structure	165/80.3	165/104.26; 165/104.33; 165/125; 165/185; 165/257; 257/E23.086; 257/E23.099; 361/700; 361/704; 361/715; 361/722	Hsu; Hul Chun
US 6377033 B2	20020423	Linear regulator capable of sinking current	323/274	323/276; 323/280	Hsu; Hui-Te
US 6366254 B1	20020402	Planar antenna with switched beam diversity for interference reduction in a mobile environment	343/770	343/795	Sievenpiper; Daniel et al.
US 6363048 B1	20020326	Disc clamp mechanism	720/707		Wu; Min- Der et al.
US 6336807 B1	20020108	Gas lighter with dual safety mechanism	431/153	431/255	Hsu; Huang-Hsi
US 6324060	20011127	Heat transfer interface	361/705	165/185;	Hsu; Hul

B1				174/16.3; 257/E23.101; 257/E23.111	Chun
US 6299039 B1	20011009	Article hanger	223/87	223/85	Hsu; Hung-Cheng
US 6280696 B1	20010828	Method and apparatus for removing high boiling point volatile organic compounds from an exhaust	423/245.1	423/242.2; 423/243.01; 423/245.2	Hsu; Hua-Ching et al.
US 6279714 B1	20010828	Powered, unidirectional output controlling apparatus	192/223.2	173/178; 173/216; 192/38; 192/44; 81/57.11	Hsu; Hung-Ming
US 6241511 B1	20010605	Electric gas lighter with dual ignition safety device	431/255	126/401; 126/405; 431/256; 431/344	Hsu; Huang-Hsi
US D442576 S	20010522	Multi-media speaker	D14/214		Hsu Huang; Yueh-Hua
US 6191986 B1	20010220	Memory device with redundancy arrays	365/200	365/230.03; 365/230.04	Hsu; Hui-Min et al.
US 6186709 B1	20010213	Speed change control structure for an electric tool	408/241R	200/318.2; 200/547	Hsu; Hung-Ming
US 6152639 A	20001128	Structure allowing free movement of a cable of an electric tool	403/116	403/164; 403/344; 408/241R; 439/446; 439/6	Hsu; Hung-Ming
US D432382 S	20001024	Screwdriver	D8/82	D8/83	Hsu; Huang-Tung
US 6136644 A	20001024	Method of manufacturing a multi-pillared storage node using silylated photoresist	438/253	257/E21.019; 438/239; 438/254; 438/255; 438/256	Tseng; Horng-Huei et al.
US 6112759 A	20000905	Oil drawing and dispensing device	137/148	141/26; 141/67; 222/465.1	Hsu; Huan-Ling
US 6095659 A	20000801	Electric tool structure having a light device	362/119	362/89	Hsu; Hung-Ming
US 6076440 A	20000620	Tool assembly	81/490	81/177.4	Hsu; Huang-

					Tung
US 6059563 A	20000509	Gas lighter with dual safety mechanism	431/153	431/255	Hsu; Huang-Hsi
US D421876 S	20000328	Igniter (II)	D7/416		Hsu; Huang-Hsi
US D419257 S	20000118	Garden lamp	D26/67		Hsu; Hui-Piao
US 6006559 A	19991228	Lock for preventing theft of automotive vehicle	70/202	70/203	Hsu; Hung-Cheng
US 5986722 A	19991116	Cover for covering a recessed portion of a case	348/836	292/DIG.38; 348/843	Hsu; Hung-Huan
US 5975888 A	19991102	Electronic ignition gun	431/255	126/401; 126/405; 431/256; 431/344	Hsu; Huang-Hsi
US 5965174 A	19991012	Blow molding apparatus for a chip carrier maker	425/384	264/544; 425/387.1; 425/388	Hsu; Hua-Shan
US D410819 S	19990608	Igniter	D7/416		Hsu; Huang-Hsi
US 5907895 A	19990601	Wafer tweezer assembling device	29/281.5	269/296; 294/64.1; 414/741	Yu; Chi Fu et al.
US 5881968 A	19990316	Adjustable tape-positioning apparatus for a chip carrier maker	242/615.3	226/196.1	Hsu; Hua-Shan
US 5852708 A	19981222	Simplified architecture for defuzzification integrated circuit (IC) processor including circuits for estimating effective areas without overlapping errors	706/9		Shyu; Jyuo-Min et al.
US 5842222 A	19981124	Production information system enhanced for availability	707/202	707/204	Lin; Chun-Ching et al.
US 5819108 A	19981006	Programming of software into programmable memory within a peripheral device	710/10	710/13; 710/15; 710/16; 710/8; 711/103; 711/115; 711/173; 711/2	Hsu; Hung-Chang et al.
US D397281	19980825	Foldable saw	D8/95	D8/99	Hsu; Hung-

S					Chi et al.
US 5738469 A	19980414	Torque adjustment control mechanism of a hand drill	408/139	192/150; 408/124; 81/473	Hsu; Hung-Ming
US 5737492 A	19980407	Fuzzy logic membership function generating apparatus	706/5	706/900	Shyu; Jyuo-Min et al.
US D389699 S	19980127	Igniter	D7/416		Hsu; Huang-Hsi
US D388608 S	19980106	Tool box	D3/271.1		Hsu; Hung-Chi
US 5699602 A	19971223	Apparatus for adjusting position of a machining unit on a chip carrier maker	29/33S	269/73; 29/33Q; 438/111; 72/447; 83/249; 83/948	Hsu; Hua-Shan
US 5694468 A	19971202	Cradle for radiotelephone	379/446	379/426; 379/454; 379/455	Hsu; Huei-Chung
US 5639336 A	19970617	Fixture for adhering a label onto a surface of an object	156/391	156/573; 156/579; 269/47; 269/54	Hsu; Hung Huan
US 5637207 A	19970610	Fluid catalytic cracking process	208/164	208/108; 208/113; 208/120.15; 208/153	Hsing; Hsu-Hui et al.
US 5633656 A	19970527	Controlling apparatus for display of an on-screen menu in a display device	345/467		Hsu; Hung-Chang et al.
US 5624548 A	19970429	Heavy naphtha hydroconversion process	208/94	208/104; 208/92	Friedman; Donn R. et al.
US 5594829 A	19970114	Optical fiber dispenser with thermal expansion accommodation layer	385/134	385/147	LoStracco; Gregory et al.
US D376908 S	19961231	Tool box	D3/274	D26/38; D3/905	Hsu; Hung-Chi
US 5579811 A	19961203	Container module for drawing and receiving fluid waste	141/98	141/65; 141/67; 220/23.83; 220/476; 220/592	Hsu; Huan-ling
US 5574891 A	19961112	Method for managing the input codes from	703/24	345/168; 703/25	Hsu; Hung-Chang et al.

		keyboard and pointing device			
US 5564354 A	19961015	Needle-changing mechanism for multiple-needle embroidery sewing machine	112/98	112/163; 112/470.04	Wang; Yu-Sheng et al.
US 5545305 A	19960813	Method for the electrochemical deposition of REBa.sub.2 Cu.sub.3 O.sub.7-x superconductors	205/51	205/230; 205/333; 205/357; 205/362	Tang; Horng-Yi et al.
US 5443227 A	19950822	Switching control for multiple fiber-guided missile systems	244/3.12	398/61; 398/63; 398/98	Hsu; Hui-Pin
US 5434277 A	19950718	Improved metallic soaps of fatty acids for use as photolyzing agents for photodegradable polymer films	554/71	554/156; 554/158; 554/194; 554/195; 554/72; 554/74	Hwu; Herng-Dar et al.
US 5411620 A	19950502	Method for adhering a label onto a surface of an object and a fixture thereof	156/230	156/299; 156/303.1	Hsu; Hung H.
US 5395821 A	19950307	Method of producing Pb-stabilized superconductor precursors and method of producing superconductor articles therefrom	505/431	252/518.1; 423/593.1; 423/594.16; 423/594.7; 423/594.9; 505/433; 505/510; 505/738; 505/740	Kroeger; Donald M. et al.
US 5395512 A	19950307	Hydrocarbon cracking process employing zeolite catalysts with hybrid [A1,B]-zeolite additives	208/120.01	208/120.15; 502/67	Hsing; Hsu-Hui et al.
US 5365368 A	19941115	Efficient bi-directional optical fiber amplifier for missile guidance data link repeater	359/341.2	359/341.33; 398/92	Hsu; Hui-Pin et al.
US 5362380 A	19941108	Fluid catalytic cracking process yielding hydrogen	208/164	208/153; 208/51	Hsing; Hsu-Hui et al.

US 5318689 A	19940607	Heavy naphtha conversion process	208/70	208/308; 585/322; 585/330	Hsing; Hsu-Hui et al.
US 5317440 A	19940531	Single wavelength bidirectional optical fiber communication link	398/41	398/139; 398/76	Hsu; Huy-Pin
US 5310134 A	19940510	Tethered vehicle positioning system	244/3.12	342/357.09	Hsu; Hui-Pin et al.
US 5308897 A	19940503	Degradable plastics	524/47	523/128; 524/284; 524/296; 524/321	Hsu; Hung-Yuan et al.
US 5228631 A	19930720	Apparatus for winding a spool composed of a plurality of flat coils formed from a single filament	242/548	242/159; 242/167; 242/173; 242/470	Hu; William C. et al.
US 5181270 A	19930119	Optical fiber canister	385/134	242/159; 242/613; 244/3.12; 244/3.16; 385/123	Hsu; Hui-Pin et al.
US 5055810 A	19911008	Ultra-high speed light activated microwave switch/modulation using photoreactive effect	333/262	257/E31.065; 327/514; 332/175	de La Chapelle; Michael et al.
US 5043523 A	19910827	Al.sub.2 O.sub.3 alkene isomerization process and catalyst	585/664	585/670; 585/671	Hsing; Hsu-Hui
US 5042906 A	19910827	Dispersion equalized optical fiber link	385/123	385/27	Chesler; Ronald B. et al.
US 5035375 A	19910730	Fiber optic radar guided missile system	244/3.12	342/53; 342/58; 342/62	Friedenthal; Kenneth J. et al.
US 5029240 A	19910702	Electronically tuneable fiber-optic receiver for narrow band microwave signal reception	398/202	257/E31.065; 330/308	de La Chapelle; Michael et al.
US 5016971 A	19910521	Automated laser fusion system for high strength optical fiber splicing	385/96	219/121.63	Hsu; Hui-Pin et al.
US 5005936 A	19910409	Long range bidirectional optical fiber communication link	398/79	385/24; 398/139	Hsu; Hui-Pin

US 4954152 A	19900904	High strength optical fiber splice	65/392	264/1.25; 65/407; 65/425; 65/432	Hsu; Hui- Pin et al.
US 4832433 A	19890523	Fiber-optic feed network using series/parallel connected light emitting opto-electronic components	385/24	342/371; 385/31; 398/115	de La Chapelle; Michael et al.
US 4378049 A	19830329	Methods, additives and compositions for temporarily sealing high temperature permeable formations	166/295	106/162.8; 166/294; 507/110; 507/113; 507/114; 507/115; 507/120; 524/55	Hsu; Hui- Min et al.
US 4164363 A	19790814	Single mode fiber-to- channel waveguide through-line coupler	385/88	385/84; 385/90	Hsu; Hui- pin